RAW SEQUENCE LISTING   DATE: 04/05/2001
PATENT APPLICATION: US/09/680,228   TIME: 09:03:49

Input Set : A:\ES.txt
Output Set: N:\CRF3\04052001\I680228.raw

```
 3 <110> APPLICANT: Ellis, et al.
 5 <120> TITLE OF INVENTION: PREVENTION OF MYOCARDITIS, ABORTION AND INTRAUTERINE INFECTION
ASSOCIATED
 6          WITH PORCINE CIRCOVIRUS-2
 8 <130> FILE REFERENCE: 454313-2340.2
10 <140> CURRENT APPLICATION NUMBER: 09/680,228
11 <141> CURRENT FILING DATE: 2000-10-06
13 <150> PRIOR APPLICATION NUMBER: PCT/EP00/08781
14 <151> PRIOR FILING DATE: 2000-08-28
16 <150> PRIOR APPLICATION NUMBER: 09/583,350
17 <151> PRIOR FILING DATE: 2000-05-31
19 <150> PRIOR APPLICATION NUMBER: 60/151,564
20 <151> PRIOR FILING DATE: 1999-08-31
22 <160> NUMBER OF SEQ ID NOS: 8
24 <170> SOFTWARE: PatentIn version 3.0
26 <210> SEQ ID NO: 1
27 <211> LENGTH: 1767
28 <212> TYPE: DNA
29 <213> ORGANISM: Porcine circovirus
31 <400> SEQUENCE: 1
32 aattcaacct taacctttct tattctgtag tattcaaagg gcacagagcg ggggtttgag      60
34 ccccctcctg ggggaagaaa gtcattaata ttgaatctca tcatgtccac cgcccaggag     120
36 ggcgttctga ctgtggttcg cttgacagta tatccgaagg tgcgggagag gcgggtgttg     180
38 aagatgccat ttttccttct ccagcggtaa cggtggcggg ggtggacgag ccaggggcgg     240
40 cggcggagga tctggccaag atggctgcgg gggcggtgtc ttcttctccg gtaacgcctc     300
42 cttggatacg tcatatctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc     360
44 ggcagcggca gcacctcggc agcacctcag cagcaacatg ccgagcaaga agaatggaag     420
46 aagcggaccc caaccccata aaaggtgggt gttcactctg aataatcctt ccgaagacga     480
48 gcgcaagaaa atacgggatc ttccaatatc cctatttgat tattttattg ttggcgagga     540
50 gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca     600
52 gactttttaat aaagtgaagt ggtatttggg tgcccgctgc cacatcgaga aagcgaaagg     660
54 aacagatcag cagaataaag aatactgcag taaagaaggc aacttactga tggagtgtgg     720
56 agctcctaga tctcagggac aacggagtga cctgtctact gctgtgagta ccttgttgga     780
58 gagcgggagt ctggtgaccg ttgcagagca gcaccctgta acgtttgtca gaaatttccg     840
60 cgggctggct gaactttga aagtgagcgg gaaaatgcag aagcgtgatt ggaagactaa     900
62 tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc     960
64 agacccggaa accacatact ggaaaccacc tagaaacaag tggtgggatg gttaccatgg    1020
66 tgaagaagtg gttgttattg atgactttta tggctggctg ccctgggatg atctactgag    1080
68 actgtgtgat cgatatccat tgactgtaga gactaaaggt ggaactgtac ctttttggc    1140
70 ccgcagtatt ctgattacca gcaatcagac cccgttggaa tggtactcct caactgctgt    1200
72 cccagctgta gaagctcttt atcggaggat tacttccttg gtattttgga agaatgctac    1260
74 agaacaatcc acggaggaag ggggccagtt cgtcaccctt tccccccat gccctgaatt    1320
76 tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat    1380
78 taagggttaa gtgggggtc tttaagatta aattctctga attgtacata catggttaca    1440
80 cggatattgt attcctggtc gtatatactg ttttcgaacg cagtgccgag gcctacgtgg    1500
82 tctacatttc cagcagtttg tagtctcagc cacagctggt ttctttgtt gtttggttgg    1560
84 aagtaatcaa tagtggaatc taggacaggt ttgggggtaa agtagcggga gtggtaggag    1620
86 aagggctggg ttatggtatg gcgggaggag tagtttacat aggggtcata ggtgagggct    1680
```

RAW SEQUENCE LISTING   DATE: 04/05/2001
PATENT APPLICATION: US/09/680,228   TIME: 09:03:49

Input Set : **A:\ES.txt**
Output Set: **N:\CRF3\04052001\I680228.raw**

```
 88 gtggcctttg ttacaaagtt atcatctaga ataacagcac tggagcccac tcccctgtca   1740
 90 ccctgggtga tcggggagca gggccag                                        1767
 93 <210> SEQ ID NO: 2
 94 <211> LENGTH: 1767
 95 <212> TYPE: DNA
 96 <213> ORGANISM: Porcine circovirus
 98 <400> SEQUENCE: 2
 99 aattcaacct taacctttct tattctgtag tattcaaagg gcacagagcg ggggtttgag    60
101 cccctcctg ggggaagaaa gtcattaata ttgaatctca tcatgtccac cgcccaggag    120
103 ggcgttttga ctgtggttcg cttgacagta tatccgaagg tgcgggagag gcgggtgttg   180
105 aagatgccat ttttccttct ccagcggtaa cggtggcggg ggtggacgag ccaggggcgg   240
107 cggcggagga tctggccaag atggctgcgg gggcggtgtc ttcttctccg gtaacgcctc   300
109 cttggatacg tcatatctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc   360
111 ggcagcggca gcacctcggc agcacctcag cagcaacatg cccagcaaga agaatggaag   420
113 aagcggaccc caaccccata aaaggtgggt gttcactctg aataatcctt ccgaagacga   480
115 gcgcaagaaa atacgggatc ttccaatatc cctatttgat tattttattg ttggcgagga   540
117 gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca   600
119 gacttttaat aaagtgaagt ggtatttggg tgcccgctgc cacatcgaga aagcgaaagg   660
121 aacagatcag cagaataaag aatactgcag taaagaaggc aacttactga tggagtgtgg   720
123 agctcctaga tctcagggac aacggagtga cctgtctact gctgtgagta ccttgttgga   780
125 gagcgggagt ctggtgaccg ttgcagagca gcaccctgta acgtttgtca gaaatttccg   840
127 cgggctggct gaactttga aagtgagcgg gaaaatgcag aagcgtgatt ggaagactaa    900
129 tgtacacgtc attgtgggc cacctgggtg tggtaaacag aaatgggctg ctaattttgc    960
131 agacccggaa accacatact ggaaaccacc tagaaacaag tggtgggatg gttaccatga   1020
133 tgaagaagtg gttgttattg atgactttta tggctggctg ccctgggatg atctactgag   1080
135 actgtgtgat cgatatccat tgactgtaga gactaaaggt ggaactgtac cttttttggc   1140
137 ccgcagtatt ctgattacca gcaatcagac cccgttggaa tggtactcct caactgctgt   1200
139 cccagctgta gaagctcttt atcggaggat tacttccttg gtattttgga agaatgctac   1260
141 agaacaatcc acggaggaag ggggccagtt cgtcaccctt tccccccccat gccctgaatt   1320
143 tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat   1380
145 taagggttaa gtgggggggtc tttaagatta aattctctga attgtacata catggttaca   1440
147 cggatattgt attcctggtc gtatatactg ttttcgaacg cagtgccgag gcctacgtgg   1500
149 tctacatttc cagtagtttg tagtctcagc cacagctgat ttcttttgtt gtttggttgg   1560
151 aagtaatcaa tagtggaatc taggacaggt ttgggggtaa agtagcggga gtggtaggag   1620
153 aagggctggg ttatggtatg gcgggaggag tagtttacat aggggtcata ggtgagggct   1680
155 gtggcctttg ttacaaagtt atcatctaga ataacagcac tggagcccac tcccctgtca   1740
157 ccctgggtga tcggggagca gggccag                                        1767
160 <210> SEQ ID NO: 3
161 <211> LENGTH: 1768
162 <212> TYPE: DNA
163 <213> ORGANISM: Porcine circovirus
165 <400> SEQUENCE: 3
166 aattcaacct taaccttttt tattctgtag tattcaaagg gtatagagat tttgttggtc    60
168 cccctcccg ggggaacaaa gtcgtcaata ttaaatctca tcatgtccac cgcccaggag    120
170 ggcgttctga ctgtggtagc cttgacagta tatccgaagg tgcgggagag gcgggtgttg   180
172 aagatgccat ttttccttct ccaacggtag cggtggcggg ggtggacgag ccaggggcgg   240
174 cggcggagga tctggccaag atggctgcgg gggcggtgtc ttcttctgcg gtaacgcctc   300
176 cttggatacg tcatagctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc   360
178 ggcagcggca gcacctcggc agcacctcag cagcaacatg cccagcaaga agaatggaag   420
```

```
180 aagcggaccc caaccacata aaaggtgggt gttcacgctg aataatcctt ccgaagacga     480
182 gcgcaagaaa atacgggagc tcccaatctc cctatttgat tattttattg ttggcgagga     540
184 gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca     600
186 aactttttaat aaagtgaagt ggtatttggg tgcccgctgc cacatcgaga aagccaaagg    660
188 aactgatcag cagaataaag aatattgcag taaagaaggc aacttactta ttgaatgtgg     720
190 agctcctcga tctcaaggac aacggagtga cctgtctact gctgtgagta ccttgttgga     780
192 gagcgggagt ctggtgaccg ttgcagagca gcaccctgta acgtttgtca gaaatttccg     840
194 cgggctggct gaactttttga aagtgagcgg gaaaatgcag aagcgtgatt ggaagaccaa     900
196 tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc     960
198 agacccggaa accacatact ggaaaccacc tagaaacaag tggtgggatg gttaccatgg    1020
200 tgaagaagtg gttgttattg atgacttta tggctggctg ccgtgggatg atctactgag     1080
202 actgtgtgat cgatatccat tgactgtaga gactaaaggt ggaactgtac ctttttttggc    1140
204 ccgcagtatt ctgattacca gcaatcagac cccgttggaa tggtactcct caactgctgt    1200
206 cccagctgta gaagctctct atcggaggat tacttccttg gtattttgga agaatgctac    1260
208 agaacaatcc acggaggaag ggggccagtt cgtcaccctt tcccccccat gccctgaatt    1320
210 tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat    1380
212 ttaggggttta agtggggggt ctttaagatt aaattctctg aattgtacat acatggttac    1440
214 acggatattg tagtcctggt cgtatatact gttttcgaac gcagtgccga ggcctacgtg    1500
216 gtccacattt ctagaggttt gtagcctcag ccaaagctga ttcctttttgt tatttggttg    1560
218 gaagtaatca atagtggagt caagaacagg tttgggtgtg aagtaacggg agtggtagga    1620
220 gaagggttgg gggattgtat ggcgggagga gtagtttaca tatgggtcat aggttagggc    1680
222 tgtggccttt gttacaaagt tatcatctag aataacagca gtggagccca ctcccctatc    1740
224 accctgggtg atgggggagc agggccag                                       1768
227 <210> SEQ ID NO: 4
228 <211> LENGTH: 1768
229 <212> TYPE: DNA
230 <213> ORGANISM: Porcine circovirus
232 <400> SEQUENCE: 4
233 aattcaacct taacctttct tattctgtag tattcaaagg gtatagagat tttgttggtc      60
235 cccctcccg ggggaacaaa gtcgtcaatt ttaaatctca tcatgtccac cgcccaggag     120
237 ggcgttgtga ctgtggtacg cttgacagta tatccgaagg tgcgggagag gcgggtgttg     180
239 aagatgccat ttttccttct ccaacggtag cggtggcggg ggtggacgag ccaggggcgg     240
241 cggcggagga tctggccaag atggctgcgg gggcggtgtc ttcttctgcg gtaacgcctc     300
243 cttggatacg tcatagctga aaacgaaaga agtgcgctgt aagtattacc agcgcacttc     360
245 ggcagcggca gcacctcggc agcacctcag cagcaacatg cccagcaaga agaatggaag     420
247 aagcggaccc caaccacata aaaggtgggt gttcacgctg aataatcctt ccgaagacga     480
249 gcgcaagaaa atacgggagc tcccaatctc cctatttgat tattttattg ttggcgagga     540
251 gggtaatgag gaaggacgaa cacctcacct ccaggggttc gctaattttg tgaagaagca     600
253 aactttttaat aaagtgaagt ggtatttggg tgcccgctgc cacatcgaga aagccaaagg    660
255 aactgatcag cagaataaag aatattgcag taaagaaggc aacttactta ttgaatgtgg     720
257 agctcctcga tctcaaggac aacggagtga cctgtctact gctgtgagta ccttgttgga     780
259 gagcgggagt ctggtgaccg ttgcagagca gcaccctgta acgtttgtca gaaatttccg     840
261 cgggctggct gaactttttga aagtgagcgg gaaaatgcag aagcgtgatt ggaagaccaa     900
263 tgtacacgtc attgtggggc cacctgggtg tggtaaaagc aaatgggctg ctaattttgc     960
265 agacccggaa accacatact ggaaaccacc tagaaacaag tggtgggatg gttaccatgg    1020
267 tgaagaagtg gttgttattg atgacttta tggctggctg ccgtgggatg atctactgag     1080
269 actgtgtgat cgatatccat tgactgtaga gactaaaggt ggaactgtac ctttttttggc    1140
271 ccgcagtatt ctgattacca gcaatcagac cccgttggaa tggtactcct caactgctgt    1200
273 cccagctgta gaagctctct atcggaggat tacttccttg gtattttgga agaatgctac    1260
```

```
275 agaacaatcc acggaggaag ggggccagtt cgtcaccctt tcccccccat gccctgaatt  1320
277 tccatatgaa ataaattact gagtcttttt tatcacttcg taatggtttt tattattcat  1380
279 ttagggttta agtggggggt ctttaagatt aaattctctg aattgtacat acatggttac  1440
281 acggatattg tagtcctggt cgtatttact gttttcgaac gcagcgccga ggcctacgtg  1500
283 gtccacattt ccagaggttt gtagtctcag ccaaagctga ttccttttgt tatttggttg  1560
285 gaagtaatca atagtggagt caagaacagg tttgggtgtg aagtaacggg agtggtagga  1620
287 gaagggttgg gggattgtat ggcgggagga gtagtttaca tatgggtcat aggttagggc  1680
289 tgtggccttt gttacaaagt tatcatctag aataacagca gtggagccca ctcccctatc  1740
291 accctgggtg atgggggagc agggccag                                     1768
294 <210> SEQ ID NO: 5
295 <211> LENGTH: 1759
296 <212> TYPE: DNA
297 <213> ORGANISM: Porcine circovirus
299 <400> SEQUENCE: 5
300 aattcatatt tagcctttct aatacggtag tattggaaag gtaggggtag ggggttggtg    60
302 ccgcctgagg gggggaggaa ctggccgatg ttgaatttga ggtagttaac attccaagat   120
304 ggctgcgagt atcctccttt tatggtgagt acaaattctg tagaaaggcg ggaattgaag   180
306 atacccgtct ttcggcgcca tctgtaacgg tttctgaagg cggggtgtgc caaatatggt   240
308 cttctccgga ggatgtttcc aagatggctg cgggggcggg tccttcttct gcggtaacgc   300
310 ctccttggcc acgtcatcct ataaaagtga aagaagtgcg ctgctgtagt attaccagcg   360
312 cacttcggca gcggcagcac ctcggcagcg tcagtgaaaa tgccaagcaa gaaaagcggc   420
314 ccgcaacccc ataagaggtg ggtgttcacc cttaataatc cttccgagga ggagaaaaac   480
316 aaaatacggg agcttccaat ctcccttttt gattattttg tttgcggaga ggaaggtttg   540
318 gaagagggta gaactcctca cctccagggg tttgcgaatt ttgctaagaa gcagactttt   600
320 aacaaggtga agtggtattt tggtgcccgc tgccacatcg agaaagcgaa aggaaccgac   660
322 cagcagaata aagaatactg cagtaaagaa ggccacatac ttatcgagtg tggagctccg   720
324 cggaaccagg ggaagcgcag cgacctgtct actgctgtga gtaccctttt ggagacgggg   780
326 tctttggtga ctgtagccga gcagttccct gtaacgtatg tgagaaattt ccgcgggctg   840
328 gctgaacttt tgaaagtgag cgggaagatg cagcagcgtg attggaagac agctgtacac   900
330. gtcatagtgg gcccgcccgg ttgtgggaag agccagtggg cccgtaattt tgctgagcct   960
332 agggacacct actggaagcc tagtagaaat aagtggtggg atggatatca tggagaagaa  1020
334 gttgttgttt tggatgattt ttatggctgg ttaccttggg atgatctact gagactgtgt  1080
336 gaccggtatc cattgactgt agagactaaa gggggtactg ttcctttttt ggcccgcagt  1140
338 attttgatta ccagcaatca ggcccccccag gaatggtact cctcaactgc tgtcccagct  1200
340 gtagaagctc tctatcggag gattactact ttgcaatttt ggaagactgc tggagaacaa  1260
342 tccacggagg tacccgaagg ccgattgaa gcagtggacc caccctgtgc cctttttccca  1320
344 tataaaataa attactgagt cttttttgtt atcacatcgt aatggttttt atttttattt  1380
346 atttagaggg tcttttagga taaattctct gaattgtaca taaatagtca gccttaccac  1440
348 ataattttgg gctgtggctg cattttggag cgcatagccg aggcctgtgt gctcgacatt  1500
350 ggtgtgggta tttaaatgga gccacagctg gtttctttta ttatttgggt ggaaccaatc  1560
352 aattgtttgg tccagctcag gtttgggggt gaagtacctg gagtggtagg taaagggctg  1620
354 ccttatggtg tggcgggagg agtagttaat ataggggtca taggccaagt tggtggaggg  1680
356 ggttacaaag ttggcatcca agataacaac agtggaccca cacctctttt gattagaggt  1740
358 gatggggtct ctggggtaa                                                1759
361 <210> SEQ ID NO: 6
362 <211> LENGTH: 1768
363 <212> TYPE: DNA
364 <213> ORGANISM: Porcine circovirus
366 <220> FEATURE:
```

```
367 <221> NAME/KEY: misc_feature
368 <222> LOCATION: (1)..(1768)
369 <223> OTHER INFORMATION: nucleotide "n" can be either of the nucleotides 'a", "c", "g' or
370      "t"
373 <400> SEQUENCE: 6
374 gaattcaacc ttaacctttt ttattctgta gtattcaaag ggtataaaga ttttgttggt    60
376 cccccctccc gggggaacaa agtcgtcaat attaaatctc atcatgtcca ccgcccagga   120
378 gggcgttctg actgtggtag ccttgacagt atatccgaag gtgcgggaga rgcgggtgtt   180
W--> 380 gaaaatgcca tttttccttc tccaacggta gcggtggcgg gggtggacma nccacgggcg   240
382 gcggcggawg atctggccaa gatggctgcg ggggcggtgt cttcttctgc ggtaacgcct   300
384 ccttggatac gtcatagctg aaaacgaaag aagtgcgctg taagtattac cagcgcactt   360
386 cggcagcggc agcacctcgg cagcacctca gcagcaacat gcccagcaag aagaatggaa   420
388 gaagcggacc ccaaccacat aaaaggtggg tgttcacgct gaataatcct tccgaagacg   480
390 agcgcaagaa aatacgggag ctcccaatct ccctatttga ttattttatt gttggcgagg   540
W--> 392 agggtwwtga ggaangacga acacctcacc tccaggggtt cgctaatttt gtgaagaagc   600
394 aaactttaa taaagtgaag tggtatttgg gtgcccgctg ccacatcgag aaagccaaag    660
396 gaactgatca gcagaataaa gaatattgca gtaaagaagg caacttactt attgaatgtg   720
398 gagctcctcg atctcaagga caacggagtg acctgtctac tgctgtgagt accttgttgg   780
400 agagcgggag tctggtgacc gttgcagagc agcaccctgt aacgtttgtc agaaatttcc   840
402 gcgggctggc tgaactttg aaagtgagcg ggaaaatgca gaagcgtgat tggaagacca    900
404 atgtacacgt cattgtgggg ccacctgggt gtggtaaaag caaatgggct gctaattttg   960
406 cagacccgga aaccacatac tggaaaccac ctagaaacaa gtggtgggat ggttaccatg  1020
408 gtgaagaagt ggttgttatt gatgactttt atgctggct gccgtgggat gatctactga   1080
W--> 410 gactgtgtga tcgatatcca ttgactgtag agactaaagg tggaactgta cnnnnnnngg  1140
412 cccgcagtat tctgattacc agcaatcaga ccccgttgga atggtactcc tcaactgctg  1200
414 tcccagctgt agaagctctc tatcggagga ttacttcctt ggtattttgg aagaatgcta  1260
W--> 416 cagaacaatc cacggaggaa gggggccagt tngtcaccct ttccccccca tgccctgaat  1320
418 ttccatatga aataaattac tgagtctttt ttatcacttc gtaatggttt ttattattca  1380
420 tttagggttt aagtggggggg tctttaagat taaattctct gaattgtaca tacatggtta  1440
422 cacggatatt gtagtcctgg tcgtatatac tgttttcgaa cgcagtgccg aggcctacgt  1500
424 ggtccacatt tctagaggtt tgtagcctca gccaaagctg attccttttg ttatttggtt  1560
426 ggaagtaatc aatagtggag tcaagaacag gtttgggtgt gaagtaacgg gagtggtagg  1620
428 agaagggttg ggggattgta tggcgggagg agtagtttac atatgggtca taggttaggg  1680
430 ctgtggcctt tgttacaaag ttatcatcta gaataacagc agtggagccc actcccctat  1740
432 caccctgggt gatgggggag cagggcca                                      1768
435 <210> SEQ ID NO: 7
436 <211> LENGTH: 1768
437 <212> TYPE: DNA
438 <213> ORGANISM: Porcine circovirus
440 <220> FEATURE:
441 <221> NAME/KEY: misc_feature
442 <222> LOCATION: (1)..(1768)
443 <223> OTHER INFORMATION: nucleotide "k" can be either "g" or "t" and
444      nucleotide "y" can be either "c" or "t"
447 <400> SEQUENCE: 7
448 accagcgcac ttcggcagcg gcagcacctc ggcagcacct cagcagcaac atgcccagca   60
450 agaagaatgg aagaagcgga ccccaaccac ataaaaggtg ggtgttcacg ctgaataatc  120
452 cttccgaaga cgagcgcaag aaaatacggg agctcccaat ctccctattt gattatttta  180
454 ttgttggcga ggagggtaat gaggaaggac gaacacctca cctccagggg ttcgctaatt  240
```

VERIFICATION SUMMARY
PATENT APPLICATION: **US/09/680,228**

DATE: 04/05/2001
TIME: 09:03:50

Input Set : **A:\ES.txt**
Output Set: **N:\CRF3\04052001\I680228.raw**

```
L:380 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:410 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
L:416 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6
```